

Mallorquinas Folding / Folding and sliding / Sliding Projectable / "Z"







Our Company

For 50 years we have provided to our company with the last technologies in manufacture methods to obtain a first quality product.

With this magazine we put in Knowledge of our clients the most competitive products placed in the first line on the market that we have obtained during this time.

I+D+I

Our R+D department and proffesional staff always get the higest performance together with last generation technologies, we apply R+D to any of our products.

New lines of products are created as a result of this management in wich nowadays, final touch and qualities are our first priorities to reach.

Production

Nowadays, we not only distribute our products in our area, but also in Spain and other twenty countries, above all American countries.

The prestige of our products together with our perfect organization in administration, manufacturing, delivering and customer service has turned us into the first enterprise of the sector at a national level.

CE Marked

Gimenez Ganga informs you that it is certificated with the corresponding stamp of the CE the following models of doors: PS-64, PS-65, PS-75, PS-78, PS-79, PS-80, PS-100, PS-110, with their variants of installation covering a total of 15 models.





INDEX

MALLORQUINA FOLDING LEAF

Fixed or Mobile slat

MALLORQUINA FOLDING AND SLIDING

Fixed or Mobile slat

MALLORQUINA SLIDING

Fixed or Mobile slat

MALLORQUINA PROJECTED

Fixed or Mobile slat

SHAPES AND OPTIONS

11

09

03

05














MALLORQUINA FOLDING

We can combine fixed D-5 and mobile D-7.

Slats position detail.

Hinge detail.



* Consult other model as long as the gap allows.














MALLORQUINA FOLDING AND SLIDING

You can have as many leaves as you please.

Hinge detail.

Hinge detail.



This

odd sheets.

mallorquina

strong profile, moreover it allows you to have even and

has

а

SIDE VIEW

TECHNICAL CHARACTERISTICS	
Frame dimensions	47,5 x 54,2 mm.
Leaf dimensions	40 x 55 mm.
Types *	Fixed: D-5 Aluminium. Mobile: D-7 Aluminium
Advisable width	750 mm. leaf (minimum 2 leaves)
Advisable height	2500 mm. leaf.
Accesories	White and black.
Flashing	36 mm.
Lower termination	Different possibilities both with inlayed or surface guide.

* Consult other model as long as the gap allows.



Sliding mallorquina 1 leaf.







MALLORQUINA SLIDING

Mallorquina especially designed for the outside of the facade, contributing to the edification with a stunning appearance.

Insulation detail.



UPPER VIEW (CLOSED)




UPPER VIEW (OPEN)

Allows to save energy bicouse radiates the heat absorbed to the exterior of the bulding.

TECHNICAL CHARACTERISTICS	
Frame dimensions	47,5 mm.
Leaf dimensions	47,5 mm.
Types *	Fixed: D-5 Aluminium. Mobile: D-7 Aluminium.
Advisable width	Leaves are divided in modules of 800 mm.
Advisable height	2500 mm. leaf (break though a 2 parts crossbar to install 2 mechanism or more).
Accesories	White and black.
N° of leaves	1 rail:1 and 2 leaves; 2 rails: 2, 3 and 4 leaves.
Lower termination	Different possibilities both with inlayed or surface guide.

* Consult other model as long as the gap allows.








Mallorquina model with front functional and confortable.



It allows to install fixed slats or mobile slats.














SANALUZ



www.gimenezganga.com

